

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

			·			
Applicant's or agent's file reference	FOR FURTHER ACTION See Form PCT/IPEA/416					
67756-71350	FOR FORTHER ACTION SECTION FOT/IFEA/410					
International application No.	International filing date (d	lay/month/year)	Priority date (day/month/year)			
PCT/SE 2003/000587	11-04-2003		18-04-2002			
International Patent Classification (IPC) of	r national classification and	IPC				
H04L 12/56						
Applicant						
Terraplay Systems AB	et al		·			
This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.						
2. This REPORT consists of a total	of 4 sheets, i	including this cover	sheet.			
3. This report is also accompanied b	y ANNEXES, comprising:					
	and to the International Bu					
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).						
sheets which	supersede earlier sheets, but		ty considers contain an amendment that goes			
beyond the di Supplemental		application as filed	, as indicated in item 4 of Box No. I and the			
b (sent to the Internation		·	umber of electronic carrier(s))			
readable form only, a			and/or tables related thereto, in computer o Sequence Listing (see Section 802 of the			
Administrative Instru						
4. This report contains indications re	elating to the following items	s:				
Box No. I Basis of	f the report					
Box No. II Priority	,					
Box No. III Non-est	tablishment of opinion with	regard to novelty, in	nventive step and industrial applicability			
Box No. IV Lack of	unity of invention					
Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
Box No. VI Certain documents cited						
Box No. VII Certain defects in the international application						
Box No. VIII Certain observations on the international application						
Date of submission of the demand		Date of completion of	of this report			
30-10-2003		14-05-2004				
Name and mailing address of the IPEA/SE		Authorized officer				
Patent- och registreringsverket Box 5055						
S-102 42 STOCKHOLM	F	Ralf Boström /LR				
Facsimile No. +46 8 667 72 00		Tolombono No. 146, 0, 700, 25, 00				

Form PCT/IPEA/409 (cover sheet) (January 2004)

Вох	x No. I	Ba	asis of the report
1.			to the language, this report is based on the international application in the language in which it was filed, unless icated under this item.
			eport is based on a translation from the original language into the following language, is the language of a translation furnished for the purposes of:
			international search (under Rules 12.3 and 23.1(b))
			publication of the international application (under Rule 12.4)
			international preliminary examination (under Rules 55.2 and/or 55.3)
2.	furnish	hed to th	to the elements of the international application, this report is based on (replacement sheets which have been the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" nnexed to this report):
		the int	ternational application as originally filed/furnished
	\boxtimes	the des	scription:
		pages	
•		pages*	
	K 7	pages*	* received by this Authority on
	\bowtie	the cla	ims:
		pages	as originally filed/furnished
		pages*	
		pages*	* 12-14 received by this Authority on 29-04-2004
	\square		
	\triangle		awings:
		pages pages*	
		pages*	
			ence listing and/or any related table(s) – see Supplemental Box Relating to Sequence Listing.
3.			mendments have resulted in the cancellation of:
			the description, pages
		Ħ	the claims, Nos.
		Ħ	
		H	the drawings, sheets/figs the sequence listing (specify):
		\vdash	
			any table(s) related to the sequence listing (specify):
4.			eport has been established as if (some of) the amendments annexed to this report and listed below had not been since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule)).
			the description, pages
			the claims, Nos.
		\Box	the drawings, sheets/figs
		Ħ	the sequence listing (specify):
		片	
		نــا	any table(s) related to the sequence listing (specify):
*	If item	4 applie	es, some or all of those sheets may be marked "superseded."

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1	C+~		
1.	ota	tem	спι

Novelty (N)	Claims Claims	1-13	YES NO
Inventive step (IS)	Claims Claims	1-13	YES NO
Industrial applicability (IA)	Claims Claims	1-13	YES NO

2. Citations and explanations (Rule 70.7)

Documents cited in the International Search Report:

D1. US 5892754 A

D2. Terraplay: "Introduction to the Terraplay system", version 2.0, 12th of June 2001.


The commonly used methods for flow control can not be optimized for specific applications. The invention according to the present application aims to solve this problem.

D1, which is considered to represent the most relevant state of the art, discloses a system for adaptive flow control (see abstract). The flow control is adapted to the current state of the network. Further, the flow control is optimized for the applications in the network. The network software in the system (which corresponds to the generic algorithm in the application) monitors a number of parameters in the network. The values of these parameters are reported applications (that correspond to the applications specific control means in the present application) (see column 2, line 48-52). The applications adapt their function (for example the type of coding) based on the values of these parameters.

The applications in D1 notify the network software about desired values on certain parameters (see column 3, line 34-38). These parameters are used for defining a desired quality of service (see column 3, line 5-7). The latency is one of the parameters that are used for controlling the quality of service (see column 5, line 22-28).

D2 is a background art document.

. . . / . . .



Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Box V

The invention differs from D1 in that the generic control means is implemented in the receiver terminal. In D1 the network software, which correspond to the generic control means, is implemented in the network. It is not considered obvious to the skilled person to modify the system in D1 so that it includes a generic control means in the receiver terminal. Furthermore, in the cited documents there are no suggestions leading a person skilled in the art to include this feature in the system described in D1. Consequently, the invention according to claims 1-13 is novel and involves an inventive step. The invention is considered to be industrially applicable.

12

2 9 -04- 2004 10 / 5 1 1 5 8 5 DT01 Rec'd PCT/PT- 1 8 OCT 2004

Claims (amended)

5

10

25

30

1. An arrangement for adaptive rate control of when packets are to be transmitted in a connection between a sender and a receiver in a packet switched data network, said arrangement comprising

generic control means (G-ARC; 27, 31) arranged in the sender and the receiver, for performing adaptive rate control according to a generic algorithm and at least one application specific control means (S-ARC; 29) to control the function of the generic control means (G-ARC; 27, 31) in dependence of the characteristics of the application, said arrangement being **characterized** in that the application-specific control means (S-ARC; 29) is arranged in the receiver to enable application specific control of the communication performed on the receiver side.

- An arrangement according to claim 1, wherein the generic control means (G-ARC; 27, 31) is controlled by at least one configuration parameter and said application-specific control means (S-ARC; 29) is arranged to provide the at least one configuration parameter to the generic control means for controlling the function of the generic control means.
- 3. An arrangement according to claim 1 or 2 wherein the generic control means (G-ARC; 27, 31) is arranged to monitor the quality of the rate control and output a set of quality data indicative of such quality.
 - 4. An arrangement according to claim 3, wherein the set of quality data includes measurements of latency and/or packet loss.
 - 5. An arrangement according to any one of the preceding claims, wherein the set of quality data is provided to the application-specific control means (S-ARC; 29) and used by the application-specific control means (S-ARC; 29) to set the at least one configuration parameter.

- 6. An arrangement according to any one of the preceding claims, wherein the generic control means (G-ARC; 27, 31) is implemented in at least one network server and in low-level client software.
- 7. An arrangement according to any one of the preceding claims, wherein the application-specific control means (S-ARC; 29) is implemented as an application-level software module.
- 8. An arrangement according to any one of the preceding claims, wherein the application-specific control means (S-ARC; 29) is dependent on the type of channel (5) used for the connection.
 - 9. A computer program product intended for use in a receiver of communication in a packet-based data network, for adaptive rate control performed at the receiving side in a packet data network, said product comprising computer readable code means which, when run on a computer causes the computer to provide at least one configuration parameter to a generic control means for adaptive rate control, in order to control the adaptive rate control provided by the generic control means.
 - 10. A computer program product according to claim 9, wherein the ARC statistics data includes measurements of latency and/or packet loss.
 - 11. A computer program product intended for use in a receiver of communication in a packet-based data network, for adaptive rate control performed at the receiving side in a packet data network, said product comprising computer readable code means which, when run on a computer is arranged to receive from an application-specific control means at least one configuration parameter in order to control the function of the computer program product.

5

15

20

25

- 12. A computer program product according to claim 11, further arranged to monitor the quality of the rate control and output a set of quality data indicative of this quality.
- 5 13. A computer program product according to claim 11 or 12, further arranged to transmit said quality data to the application-specific control means.